


www.masand.com

In winter's chill
or summer's heat...
**Farmers &
Ranchers**
work hard so the
world can EAT



PROFILE

Company was established in April 1980 is engaged in Crop Protection Equipment & Agriculturer Sprayer. The company occupies more than 1,35,000 Sq.ft., specializes in manufacturing hand sprayers, Hi-tech sprayers, inside-outside pressure chamber, Foot sprayer, Rocker sprayers & Garden Sprayer. We have the abundant technical skills & test method, all process strictly according to ISO 9001:2008 certification international quality control system and all the product has passed BIS certification with ISI mark by India government. Our product not only welcomed to Indian market, also export in other countries.

Our company insisted on best quality, fetching in specialists of the technology and management to add our expertise ability and our company staff more than 200 member and they also provide their services in the hope of provided good quality products and better service. Our products are well structured, highly efficient with full safety. Through these years development, our company production reaches more than 5,00,000 sprayers per year and keeps constant increase. We welcome the customers from all over the world to visit our company for best business dealing.

www.masandknapsacksprayer.com



📍 Office : 56, Shastri Market,
Indore 452 007 (M.P.) India

📍 Factory : 'Masand House'
Village Asrawad Khurd, Khandwa Road,
Indore 452 020 (M.P.) India

📞 M: 9644472231, 9826828967, 9111860666
9111004849, 9009611129, 9111948000

✉ masandsprayerspvtltd@gmail.com

**COMMITTED
TO SERVE
THE FARMERS**





Masand Sprayers is an ISO 9001:2008 certified entity engaged in manufacturing, supplying and trading Agricultural Sprayers. Our range is widely known for easy operation, low maintenance and excellent performance.

Masand® Sprayers Pvt. Ltd.

Masand Established in the year 1980, “Masand Sprayers”, are counted among the prominent ISO 9001: 2008 certified business organizations engaged in manufacturing, supplying and exporting a comprehensive assortment of Agricultural Knapsack Sprayers, Battery Operated Knapsack Sprayers, Foot Sprayer, Rocker Sprayer, Mini Sprayer & Garden Sprayers Solutions. The entire range of products is manufactured in strict compliance with the international quality standards using superior grade raw material, advent tools and sophisticated technologies. Owing to the qualitative fabrication, the range is widely acknowledge among the clients for reliability, excellent performance, low maintenance, easy operation, efficiency and longer service life. Counting on these factors, our range is extensively used in agriculture, pest control, horticulture and plant leaf polishing sector.

Based in Indore, Madhya Pradesh, India, we have developed an ultra modern infrastructure facility, which helps in catering to the variegated requirements of the customers in an organized manner. We have segregated this infrastructure facility into various units so as to facilitate ease and flexibility of business operations. These units are well installed with all the modern machinery, tools and equipment, which are frequently upgraded to keep in pace with the upcoming technological advancements. To ensure the quality of products, we have also developed a quality testing unit, where the entire range is thoroughly tested on varied parameters, so as to ensure the flawlessness and zero- defect. We have also developed a capacious warehousing unit, where the entire range of goods manufactured and procured from the vendors is stocked, so as to prevent them form any external harms. Besides, we follow ethical trade practices, fair business deals and provide the customers with flexible payment options for the ease of customers. Owing to all this, we have been able to muster a large number of customers all across the Indian Subcontinent.

Under the able guidance of our mentor, Mr. Rajesh Masand we have been successful in gaining a reputed position in the market. His vast experience in the industry, rich knowledge, positive attitude and constant motivation has enabled us to serve the clients in the best possible manner.

MISSION

A mission statement is set of guiding principles, including your values, that describe why and how farm

VISION

Improved livelihoods of rural communities through sustainable agricultural practices and entrepreneurship

VALUES

- Respect and value for local knowledge and innovations
- Value for the environment and ecosystems
- Professional, effective and informed by relevant science
- Creative, flexible and innovative
- Sensitive to gender
- Quality, equality and ethics
- Passion

Why Us?

Being a client centric organization, our basic aim is to attain the utmost satisfaction of the clients by rendering effective products and services. For this, we frequently communicate with the clients to know about their exact requirements and serve them accordingly. Every possible step is undertaken to satisfy the customers to the fullest. Sprawling infrastructure, dexterous professionals, quality products are some of the major factors that have made us a preferred choice among the clients.

Besides, some other factors that serve as add ons are :

- ▶ Ethical trade practices
- ▶ Fair business deals
- ▶ Timely delivery
- ▶ Customization service
- ▶ Innovative designs
- ▶ Competitive prices



TECHNICAL SPECIFICATIONS

- 20 Liter high density HDPE tank
- Supplied with forced air cooled 2 stroke petrol engine (Tu-26)
- Car belt extra heavy with metal hook buckle
- 1.3 meter heavy pressure hose pipe with brass nut
- 3 feet Hi-jet Gun with handle brass thread
- Heavy Quality 3 Way lance with Handle Brass thread
- Multicolored laminated box packaging

Masand RED MIRCHI 2 Stock



TECHNICAL SPECIFICATIONS

- 20 Liter high density HDPE tank
- 139 F engine with 4 stroke
- 1.3 meter high pressure hose pipe with brass nut
- Heavy Quality 3 Way lance with Handle Brass thread
- 3 feet Hi-jet Gun with handle brass thread
- Car belt extra heavy with metal hook buckle
- Multicolored laminated box packaging

Masand DIAMOND 4 STOCK



TECHNICAL SPECIFICATIONS

- 20 Liter high density HDPE Tank
- Double section sprayer
- 139 F Engine with 4 stroke
- 1.3 meter high pressure hose pipe with brass nut
- Heavy quality three way lance
- Hi-jet Gun with brass thread connection
- Car belt extra heavy with metal hook buckle
- Multicolored laminated box packing

Masand AGRICULTURAL



TECHNICAL SPECIFICATIONS


- 20 Liter high density HDPE Tank
- Double section sprayer
- 139 F Engine with 4 stroke
- 1.3 meter high pressure hose pipe with brass nut
- Heavy quality three way lance
- Hi-jet Gun with brass thread connection
- Car belt extra heavy with metal hook buckle
- Multicolored laminated box packing

MASAND ROCKER

New Type Tank



Agricultural Hand Operated
KNAPSACK SPRAYER





TECHNICAL SPECIFICATIONS

- 25 Liter high density HDPE tank
- CX-35 engine Honda type with 4 stroke
- 1.3 meter high pressure hose pipe with brass nut
- Heavy Quality 3 way lance with handle brass thread
- 3 feet Hi-jet Gun with brass head
- Car belt extra heavy with handle brass thread
- Multicolored laminated box packaging

Masand
YN-1801

Honda Type




Water Pump Set

TECHNICAL SPECIFICATIONS

- 7 hp engine with 4 stroke
- Output capacity 12000 lph
- Inlet / outlet port (Diameter) :38.1 mm (1.5 inch)
- Fuel tank 3.6 liter capacity & oil capacity 0.6 liter
- Suction vertical : 4 miter (depth)
- Delivery distance (horizontal): 20 miter
- Multicolored laminated box packing

AGRICULTURAL WATER PUMP
MS-WP15H



TECHNICAL SPECIFICATIONS

- 7 hp Engine with 4 stroke
- Output capacity 60,000 lph
- Inlet/outlet port (Diameter) 50.8 mm (2 inch)
- Fuel tank 3.6 liter capacity & oil capacity 0.6 liter
- Suction vertical : 7 miter (depth)
- Delivery distance (horizontal) : 26 miter
- Multicoloured laminated box packing

Water Pump WP 20



TECHNICAL SPECIFICATIONS

- 7AHP engine with 4 stroke
- Output capacity 60000 LPH
- Inlet /outlet port(Diameter):75mm (3 inch)
- Fuel tank 3.6 Liter Capacity & Oil Capacity 0.6 Liter
- Suction vertical: 7meter (Depth)
- Delivery distance (horizontal): 26 meter
- Multi Coloured Laminated Box Packaging

Masand
WP-30
WATER PUMP





TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke GX 35 (Honda type) Engine
- ⊙ 8.5mm Hose pipe with 15 Meter
- ⊙ 60 cm Semi brass Hi-Jet Gun
- ⊙ Ms-p735-1 with over flow and suction pipe
- ⊙ Sprayer parts with suction filter
- ⊙ Strong Square-frame structure



TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke GX 35 (Honda type) Engine
- ⊙ 8.5mm Hose pipe with 15 Meter
- ⊙ 60 cm Semi brass Hi-Jet Gun
- ⊙ Ms-p735 over flow and suction pipe
- ⊙ Sprayer parts kit with suction filter
- ⊙ Strong L- frame structure



TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke 139 F Heavy Engine
- ⊙ 8.5mm Hose pipe with 15 Meter
- ⊙ 60 cm semi brass hi-Jet gun
- ⊙ Ms-p764 with over flow & suction pipe
- ⊙ Spare parts kit with suction filter
- ⊙ Strong L- frame structure
- ⊙ Multi Coloured Laminated Box Packaging



TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke GX 50 Engine (Honda type)
- ⊙ 8.5mm hose pipe with 15 meter
- ⊙ 60 cm brass hi-Jet Gun
- ⊙ Ms-p750 over flow and suction pipe
- ⊙ Sprayer parts with suction filter
- ⊙ Strong Square- frame structure
- ⊙ Multi Coloured Laminated Box Packaging





TECHNICAL SPECIFICATIONS

- 168 F Gasoline Engine 196cc
- Iron camshaft
- 6.5 HP Engine capacity
- Multicolored laminated box packing

Agricultural Hand Operated
KNAPSACK SPRAYER

Gasoline 168 Engine with pulley (Petrol Engine)

MS-170




TECHNICAL SPECIFICATIONS

- GX -35 Engine 35cc (4 stroke)
- 1kw/1.3HP brass motor heavy pump
- 60 cm semi brass hi-jet Gun
- Pressure 1.25-2.25/MPA
- 30 Meter high pressure hose pipe
- Multicolored laminated box packing

Agricultural Hand Operated
KNAPSACK SPRAYER

Agricultural Portable Sprayer (Power)

MS-765



TECHNICAL SPECIFICATIONS

- 139F Engine 4 Stroke
- 60 Cm semi brass Hi-jet Gun
- 30 meter High pressure hose pipe
- Multicolored laminated box packing

Agricultural Hand Operated
KNAPSACK SPRAYER

Gasoline 168 Engine with pulley (Petrol Engine)

MS-765-1



TECHNICAL SPECIFICATIONS

- ⊙ 168F Engine with 22 No.HTP
- ⊙ Two pieces Hi-Jet Gun (3 feet) with brass head
- ⊙ 10 meter hi pressure Hose pipe
- ⊙ 3 meter suction & 3 meter over floe pipe
- ⊙ Sprayer tool parts kit with suction filter
- ⊙ Strong U-frame structure
- ⊙ Multi Coloured Laminated Box Packaging

Masand

**PORTABLE POWER
SPRAYER MS-PSP-25**





TECHNICAL SPECIFICATIONS

- 170F Engine with 30 no.HTP
- Two pieces Hi-Jet Gun (3 feet) with handle brass thread
- 10 meter hi pressure hose pipe
- 3 meter suction & 3 meter over plow pipe
- Sprayer tool parts kit with suction filter
- Strong U-frame structure
- Multi Coloured Laminated Box Packaging




PORTABLE POWER SRAYER MS-PSP-32

TECHNICAL SPECIFICATIONS

- 168F Engine with 22 No.HTP
- 2 Feet semi brass Hi-jet Gun
- Over flow & suction pipe
- Sprayer tool parts kit with suction filter
- strong frame structure New type
- Multi Coloured Laminated Box Packaging




PORTABLE POWER SPRAYER MS-PSP-28

TECHNICAL SPECIFICATIONS

- 170F Engine with 30 no.HTP
- 2 Feet semi brass Hi-jet Gun
- Over flow & suction pipe
- Sprayer tool parts kit with suction filter
- Strong frame structure New type
- Multi Coloured Laminated Box Packaging





PORTABLE POWER SRAYER MS-PSP-34

TECHNICAL SPECIFICATIONS

- 3 feet semi brass hi – jet gun
- Over flow and suction pipe
- 1.5 Hp Motor
- Sprayer tool parts kit suction filter
- Strong frame structure new type
- Multicolored laminated box packing



AGRICULTURAL PORTABLE SPRAYER MS-PSP-30





TECHNICAL SPECIFICATIONS

- 139F Engine with 30 No. HTP
- Displacement 98CC and Engine Power-6.5 HP
- 3 Feet Semi brass Hi-Jet Gun with brass head
- Suction and over flow hose pipe
- Tool Sprayer parts kit with Suction Filter
- Strong Trolley Mounted frame
- Multi Coloured Laminated Box Packaging


Masand
 WX 168 FI-30A

TECHNICAL SPECIFICATIONS

- 52 cc petrol engine
- 2.3HP power
- Maximum 900rpm
- Fuel consumption 750ml/hour
- Multicolored laminated box packing


Agricultural Hand Operated
KNAPSACK SPRAYER


Earth Auger
520

TECHNICAL SPECIFICATIONS

- 63 cc petrol engine
- 1.7kw (3HP) power
- Maximum 900rpm
- Fuel consumption 1liter/hour
- Multicolored laminated box packing

Agricultural Hand Operated
KNAPSACK SPRAYER


Earth Auger
630


TECHNICAL SPECIFICATIONS

- Diameter 100mm (4 inches)
- Length 800mm (31.5 inches)
- High carbon steel or manganese steel for durability
- Suitable for 52cc to 72cc

Agricultural Hand Operated
KNAPSACK SPRAYER

DRILL FOR EARTH AUGER
100x800




TECHNICAL SPECIFICATIONS

- Diameter 150mm (6 inches)
- Length 800mm (31.5 inches)
- High carbon or cast steel
- Suitable for 52cc, 63cc, 68cc, or 72cc

Agricultural Hand Operated
KNAPSACK SPRAYER

DRILL FOR EARTH AUGER


150x800


TECHNICAL SPECIFICATIONS

- Diameter 200mm (8 inches)
- Length 800mm (31.5 inches)
- High carbon steel
- Suitable for 52cc, 68cc, 71cc, or 72cc

Agricultural Hand Operated
KNAPSACK SPRAYER

DRILL FOR EARTH AUGER

200x800


TECHNICAL SPECIFICATIONS

- Pressure 10-50 Bar
- Rotating speed 800-1200 RPM
- Power 2.2-3.0 kw
- Flow 30.45 LPM
- Suction & overflow hose pipe
- Required motor 2 hp motor
- Required engine 6.5 hp petrol engine
- Tool kit ,washer ,filter jail& pulley
- Multicolored laminated box packing

TRACTOR MOUNTE SPRAYER

HTP-22(MS-WX-30)


TECHNICAL SPECIFICATIONS

- Pressure 10-50 Bar
- Rotating speed 800-1200 RPM
- Power 2.2-3.0 kw
- Flow 30.45 LPM
- Suction & overflow hose pipe
- Required motor 2Hp motor
- Required Engine 6.5 -7 Petrol engine
- Tool kit ,washer ,filter jail& pulley
- Multicolored laminated box packing

TRACTOR MOUNTE SPRAYER

HTP-30(MS-WX-50)




TECHNICAL SPECIFICATIONS

- ⊙ Pressure 10-50 Bar
- ⊙ Rotating speed 800-1200 RPM
- ⊙ Power 2.2-3.0 kw
- ⊙ Flow 30.45 LPM
- ⊙ Suction & overflow hose pipe
- ⊙ Required motor 3 to 5 Hp motor
- ⊙ Required engine 7HP can be attached with tractor
- ⊙ Tool kit ,washer ,filter jail& pulley
- ⊙ Multicolored laminated box packing


TRACTOR MOUNTE SPRAYER

HTP-45(MS-WX-65)


TECHNICAL SPECIFICATIONS

- ⊙ Pressure 10-50 Bar
- ⊙ Rotating speed 800-1200 RPM
- ⊙ Power 2.2-3.0 kw
- ⊙ Flow 30.45 LPM
- ⊙ Suction & overflow hose pipe
- ⊙ Required motor 5Hp motor (3 phase)
- ⊙ Required engine 7.5HP petrol engine (can be also used with tractor)
- ⊙ Tool kit ,washer ,filter jail& pulley
- ⊙ Multicolored laminated box packing

AGRICULTURAL WATER PUMP

HTP-50(MS-WX-90)


TECHNICAL SPECIFICATIONS

- ⊙ Pressure 10-50 Bar
- ⊙ Rotating speed 800-1200 RPM
- ⊙ Power 2.2-3.0 kw
- ⊙ Flow 30.45 LPM
- ⊙ Suction & overflow hose pipe
- ⊙ Required engine 7.5HP petrol engine (can be also used with tractor)
- ⊙ Tool kit ,washer ,filter jail & pulley
- ⊙ Wooden box packing

TRACTOR MOUNTE SPRAYER

HTP-90(MS-WX-125)


TECHNICAL SPECIFICATIONS

- ⊙ Supplied with forced air cooled
2 stroke petrol engine with back pack
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two Blade (3 teeth blade & 80 teeth blade)
- ⊙ Grass cutter metal plate
- ⊙ Heavy brown box packaging

Masand
Brush Cutter BG 520




TECHNICAL SPECIFICATIONS

- ⊙ Supplied with forced air cooled
- 2 stroke petrol engine with side pack
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two Blade (3 teeth blade & 80 teeth blade)
- ⊙ Grass cutter
- ⊙ Metal Plate
- ⊙ Heavy brown box packaging




Masand
 Brush Cutter CG 520

TECHNICAL SPECIFICATIONS

- ⊙ Back pack 4 stroke with 139F Engine
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two Blade (3 teeth blade & 80 teeth blade)
- ⊙ Grass cutter
- ⊙ Metal Plate
- ⊙ Heavy brown box packaging



Masand
 Brush Cutter BG 431



TECHNICAL SPECIFICATIONS

- ⊙ Side pack 4 stroke with 139F Engine
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two Blade (3 teeth blade & 80 teeth blade)
- ⊙ Grass cutter
- ⊙ Metal Plate
- ⊙ Heavy brown box packaging



Masand
 Brush Cutter CG 431

TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke GX 35 (Honda type) Engine (Back Pack)
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two blade (3 teeth blade & 80 teeth blade)
- ⊙ Grass cutter metal plate
- ⊙ Metal Supporter
- ⊙ Heavy brown box packaging



Masand
 Brush Cutter BG 431



TECHNICAL SPECIFICATIONS

- ⊙ 4 Stroke GX 35 (Honda type) Engine (Side Pack)
- ⊙ Extra heavy car belt with metal hook buckle
- ⊙ Two blade (3 teeth blade & 80 teeth blade
- ⊙ Grass cutter metal plate
- ⊙ Metal Supporter
- ⊙ Heavy brown box packaging

Masand
Brush Cutter CG 438



TECHNICAL SPECIFICATIONS

- ⊙ High –Quality 12 teeth Seeder & mouth
No.6/7/8/9/10/12 (adjustable)
- ⊙ Easy to operate in plane and hilly lands
- ⊙ Efficient and convenient with Adjustable width
- ⊙ The antique manual seeder is light weight
- ⊙ Seed box capacity 4.5 kg
- ⊙ vMaintains and equal distance between seeds
- ⊙ Seed space 5.5 inch to 12 inch (adjustable)
- ⊙ Helps the seed germinate faster and healthier
- ⊙ Seeding depth 50mm to 60 mm
- ⊙ Multicolored heavy box packaging

Masand
SEEDER



TECHNICAL SPECIFICATIONS

- ⊙ High –Quality 14 teeth Seeder & mouth
No.6/7/8/9/10/12 (adjustable)
- ⊙ Easy to operate in plane and hilly lands
- ⊙ Efficient and convenient with Adjustable width
- ⊙ The antique manual seeder is light weight
- ⊙ Seed box capacity 4.5 kg
- ⊙ vMaintains and equal distance between seeds
- ⊙ Seed space 5.5 inch to 12 inch (adjustable)
- ⊙ Helps the seed germinate faster and healthier
- ⊙ Seeding depth 50mm to 60 mm
- ⊙ Multicolored heavy box packaging


Masand
SEEDER 14 Teeth



TECHNICAL SPECIFICATIONS

- ⊙ High –Quality 16 teeth Seeder & mouth
No.6/7/8/9/10/12 (adjustable)
- ⊙ Easy to operate in plane and hilly lands
- ⊙ Efficient and convenient with Adjustable width
- ⊙ The antique manual seeder is light weight
- ⊙ Seed box capacity 4.5 kg
- ⊙ vMaintains and equal distance between seeds
- ⊙ Seed space 5.5 inch to 12 inch (adjustable)
- ⊙ Helps the seed germinate faster and healthier
- ⊙ Seeding depth 50mm to 60 mm
- ⊙ Multicolored heavy box packaging

Masand
SEEDER 16 Teeth




Masand
 Hose Pipe

High Pressure hose pipe 8.5 mm
 3 Layer 50 Meter with Colour box Packing


Masand
 Hose Pipe

High Pressure hose pipe 8.5 mm
 3 Layer 100 Meter with Colour box Packing


Masand
 Hose Pipe

High Pressure hose pipe 8.5 mm
 5 Layer 100 Meter with Colour box Packing


Masand
 Hose Pipe

High Pressure hose pipe 8.5 mm
 5 Layer 50 Meter with Colour box Packing


TECHNICAL SPECIFICATIONS

- 20 liter high density polyethylene tank
- Battery capacity 12V-14AH Ampere
- Charger 1.7 ampere
- Regulator
- Volt meter
- Working range 10 meter
- Rotating speed 3000 times per minute
- Multicolored laminated box packaging

Masand
 FERTILIZER APPLICATOR

TECHNICAL SPECIFICATIONS

- 20 Kg high density polyethylene tank
- The fertilizer outlet pipe is tow section one pipe with punching head and one pope with double row.
- Outlet pipe made of PVC.
- Operated by trigger
- Car belt set with plastic hook buckle.

Masand Manual fertilizer applicator With Punching


TECHNICAL SPECIFICATIONS

- 20 Kg high density polyethylene tank
- The fertilizer outlet pipe is tow section
- Outlet pipe made of PVC.
- Operated by trigger
- Car belt set with plastic hook buckle
- Heavy stand

Masand Manual fertilizer applicator



TECHNICAL SPECIFICATIONS

- 8 Liter Tank capacity
- Battery 12V-8Amp.
- Charger 1.0 Ampere
- Heavy Quality motor with 100% copper winding.
- Effective for pest control in agriculture and horticulture.
- Dusting fertilizer powder evenly on plants

Masand Electric Duster



TECHNICAL SPECIFICATIONS

- Brushless lithium tea picker.
- High efficiency brushless DC motor
- High strength manganese steel
- Cutting width approx 300mm to 320mm

Agricultural Hand Operated KNAPSACK SPRAYER

TEA HARVEST



TECHNICAL SPECIFICATIONS

- 20 liter High density Polyethylene tank
- Battery capacity 12V-14AH with 3.0kg
- Charger 1.7Ampere with heavy quality
- Regulator for speed controller
- Voltmeter
- 9.0LPM Discharge capacity Double motor with auto cutoff & 100% copper winding
- 4 Plastic nozzle set (BCN 8-Hole Nozzle , Cut Nozzle, F-Nozzle & 4-Hole Nozzle)
- 1.2Meter long Chinese discharge line with electronic connection
- Extra heavy SS extendable Lance with brass connection
- Nylon strap car belt with plastic hook buckle
- Multicolored laminated box packing

MASAND SHAKTI

(12/14, Double Motor)





TECHNICAL SPECIFICATIONS

- ⊙ 20 liter High density Polyethylene tank
- ⊙ Battery capacity 12V-8AH with 2.0kg
- ⊙ Charger 1.2Ampere with heavy quality
- ⊙ Regulator for speed controller
- ⊙ Digital Voltmeter
- ⊙ 4.5LPM Discharge capacity single motor with auto cutoff & 100% copper winding
- ⊙ 4 Plastic nozzle set (BCN 8-Hole Nozzle , Cut Nozzle, F-Nozzle & 4-Hole Nozzle)
- ⊙ Delivery hose pipe line, with standard packing
- ⊙ Ss telescope extendable Chinese lance
- ⊙ Plastic clutch with standard packing
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Nylon strap car belt with metal hook buckle
- ⊙ Multicolored laminated box packing

MASAND NEXON

(12/8, 2in1)




TECHNICAL SPECIFICATIONS

- ⊙ 20 liter High density Polyethylene tank
- ⊙ Battery capacity 12V-14AH with 2.0kg
- ⊙ Charger 1.7Ampere with heavy quality
- ⊙ Regulator for speed controller
- ⊙ Digital Voltmeter
- ⊙ 4.5LPM Discharge capacity single motor with auto cutoff & 100% copper winding
- ⊙ 4 Plastic nozzle set (BCN 8-Hole Nozzle , Cut Nozzle, F-Nozzle & 4-Hole Nozzle)
- ⊙ Delivery hose pipe line, with standard packing
- ⊙ Ss telescope extendable Chinese lance
- ⊙ Plastic clutch with standard packing
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Nylon strap car belt with metal hook buckle
- ⊙ Multicolored laminated box packing

MASAND NEXON

(12/14,2in1)



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter High density Polyethylene tank
- ⊙ Battery capacity 12V-18AH with 3.4kg
- ⊙ Charger 1.7Ampere with heavy quality
- ⊙ Regulator for speed controller
- ⊙ Digital Voltmeter
- ⊙ 9.2LPM Discharge capacity single motor with auto cutoff & 100% copper winding
- ⊙ 4 Plastic nozzle set (BCN 8-Hole Nozzle , Cut Nozzle, F-Nozzle & 4-Hole Nozzle)
- ⊙ Delivery hose pipe line, with standard packing
- ⊙ Ss telescope extendable Chinese lance
- ⊙ Three way lance with extension rod
- ⊙ Chemical mixer
- ⊙ Waist paid
- ⊙ Plastic clutch with standard packing
- ⊙ Nylon strap car belt with metal hook buckle
- ⊙ Multicolored laminated box packing

MASAND NEXON

(12/18, Double Motor)



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor (100% Copper winding)With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap Car Belt with cushion
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- ⊙ 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap Car Belt with cushion
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


tivona
 L I O N
**TECHNICAL SPECIFICATIONS**

- ⊙ 12 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- ⊙ 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap Car Belt with cushion
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging


Masand
 12 Liter
**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- ⊙ 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap Car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Hand Cum
Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


Masand
 K I S A N


 2 in 1
**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- ⊙ 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


Masand
 S R I S H T H I


 2 in 1


TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
100% Copper winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ 2 feet Hi-Jet Gun with Handle (Brass Thread)
- ⊙ Nylon strap Car Belt with cushion
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


tivona
PANTHER
**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ 2 feet Hi-Jet Gun with Handle (Brass Thread)
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter

Agricultural Hand Cum
Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


Masand
VIKRANT
**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap Car Belt with Plastic Hook Buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER


Masand
PEARL
**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 5W LED light with 1.5mtr wire
- ⊙ Battery meter
- ⊙ 4.5ltr. Per minute discharge capacity motor
100% Copper Winding With auto cut-off
- ⊙ Total 8 Plastic Nozzle set
 - ➔ Two plastic BCN 8 Hole nozzle
 - ➔ Two plastic 4 hole nozzle
 - ➔ Two plastic Cut – nozzle
 - ➔ Two plastic F - Nozzle
- ⊙ (2 Set)Chinese discharge line Set with SS
Extendable Lance and plastic clutch
- ⊙ Nylon strap car belt with metal hook buckle
- ⊙ Double inner/outer pressure chamber in which
Outer chamber made up plastic & inner pressure
Chamber made up of stainless steel
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator

Agricultural Hand Cum
Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER



Masand
PRIMO


TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- 100% Copper Windig With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line set with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter

Agricultural Hand Cum
 Battery Operated
 KNAPSACK SPRAYER
 or
 MECHANICAL SPRAYER



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line set with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-18AH Ampere
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.5 ltr. Per minute discharge capacity motor
- 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle Inside Brass Thread
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ 1.2 Meter extra Heavy Hose Pipe
- ⊙ Extra Heavy Trigger with Inside & Outside Brass thread
- ⊙ Extra heavy S.S. Extendable with Brass Connections
- ⊙ Nylon strap Car Belt with Plastic Hook Buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere Heavy Quality
- ⊙ 4.0ltr. Per minute discharge capacity motor
- 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap Car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

- ⊙ Regulator
- ⊙ Battery meter



Agricultural Hand Cum
 Battery Operated
 KNAPSACK SPRAYER
 or
 MECHANICAL SPRAYER

TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-18AH Ampere
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ Battery meter ⊙ Regulator
- ⊙ 4.5ltr. Per minute discharge capacity motor
100% Copper Winding With auto cut-off
- ⊙ Total 8 Plastic Nozzle set
 - ➔ Two plastic BCN 8 Hole nozzle
 - ➔ Two plastic 4 hole nozzle
 - ➔ Two plastic Cut – nozzle
 - ➔ Two plastic F - Nozzle
- ⊙ (2 Set)Chinese discharge line set with SS
Extendable Lance and plastic clutch
- ⊙ Nylon strap car belt with Heavy pad & Metal Hook Buckle
- ⊙ Double inner/outer pressure chamber in which
Outer chamber made up plastic & inner pressure
Chamber made up of stainless steel
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Hand Cum
Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER

**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank ⊙ Regulator
- ⊙ Battery capacity 12V-14AH Ampere ⊙ Battery meter
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 9.0ltr. Per minute discharge capacity Double motor
100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap Car Belt with Plastic Hook Buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank ⊙ Regulator
- ⊙ Battery capacity 12V-14AH Ampere Heavy Quality ⊙ Battery meter
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.5ltr. Per minute discharge capacity motor
100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle with Brass Thread
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Extra Heavy SS Extendable lance with Brass Connections
- ⊙ 1.2 Meter Extra Heavy delivery hose with electronic connections
- ⊙ Plastic clutch with electronic On/Off switch
- ⊙ Nylon strap Car Belt with Plastic Hook Buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER

**TECHNICAL SPECIFICATIONS**

- ⊙ 20 liter high density Polyethylene Tank ⊙ Regulator
- ⊙ Battery capacity 12V-14AH Ampere Heavy Quality ⊙ Battery meter
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 9.0ltr. Per minute discharge capacity ⊙ 5W LED light with 1.5mtr wire
Double motor With auto cut-off 100% Copper winding
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ 2 feet Hi-Jet Gun with handle brass thread
- ⊙ Nylon strap extra heavy car belt with Metal hook buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

Agricultural Battery Operated
KNAPSACK SPRAYER
or
MECHANICAL SPRAYER



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-18AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ Regulator
- ⊙ Battery meter
- ⊙ High pressure Double motor with 9.5ltr
Per minute discharge capacity with
100% Copper winding Auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ 2 feet Hi-Jet Gun with Handle Brass thread
- ⊙ Nylon strap extra heavy car belt with
Metal hook buckle
- ⊙ Plastic Waist Pad
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-22AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 4.5ltr. Per minute discharge capacity motor
- ⊙ 100% Copper Winding With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap extra heavy car belt with
Metal hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Plastic Waist Pad
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-18AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 5W LED light with 1.5mtr wire
- ⊙ High pressure Double motor with 9.5ltr
Per minute discharge capacity with Auto cut-off 100% Copper Winding
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line one side plastic nut
And one side brass nut
- ⊙ SS Extendable Lance and plastic clutch
- ⊙ Heavy Quality 3 Way lance with handle brass thread
- ⊙ 2 feet Hi-Jet Gun with handle brass thread
- ⊙ Nylon strap extra heavy car belt with
Metal hook buckle
- ⊙ Plastic Waist Pad
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging
- ⊙ Brass nut with brass connector



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-22AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ Battery meter
- ⊙ High pressure Double motor with 9.5ltr
Per minute discharge capacity (100% Copper Winding) with Auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line one side plastic nut
And one side brass nut
- ⊙ SS Extendable Lance and plastic clutch
- ⊙ Heavy Quality 3 way lance with handle Brass Nut
- ⊙ 2 feet Hi-Jet Gun with Handle Brass thread
- ⊙ Nylon strap extra heavy car belt with
Metal hook buckle
- ⊙ Plastic Waist Pad
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-22AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ 9.5ltr. Per minute discharge capacity
- ⊙ Double motor & 4.5ltr per minute
- ⊙ Discharge capacity motor 100% Copper Winding with auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance and plastic clutch
- ⊙ Heavy Quality 3 way lance with handle brass thread
- ⊙ Nylon strap extra heavy car belt with Metal hook buckle
- ⊙ Plastic Waist Pad
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ High density Polyethylene body
- ⊙ Battery capacity 12V-14AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ Regulator
- ⊙ Battery meter
- ⊙ High pressure Double motor with 9.5ltr Per minute discharge capacity
- ⊙ 100% Copper Winding with Auto cut-off
- ⊙ 10.5mtr long heavy pressure hose pipe With brass nut
- ⊙ 2mtr suction hose pipe.
- ⊙ High Pressure Gun with clutch & brass connection
- ⊙ Laminated heavy box packaging
- ⊙ 4 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene tank
- ⊙ Battery capacity 12V-14AH Ampere Heavy Quality
- ⊙ Charger 1.7 Ampere Heavy Quality
- ⊙ Regulator
- ⊙ Battery meter
- ⊙ High pressure Double motor with 9.5ltr Per minute discharge capacity
- ⊙ 100% Copper Winding with Auto cut-off
- ⊙ Nylon strap extra heavy car belt with Metal hook buckle
- ⊙ 1.3 meter heavy pressure hose pipe with Brass nut
- ⊙ 3 feet heavy Hi-jet Gun with brass head
- ⊙ Laminated heavy box packaging



Agricultural Battery Operated
KNAPSACK SPRAYER

TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere
- ⊙ Regulator
- ⊙ Battery meter
- ⊙ 4.0ltr. Per minute discharge capacity motor With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - ➔ One plastic BCN 8 Hole nozzle
 - ➔ One plastic 4 hole nozzle
 - ➔ One plastic Cut – nozzle
 - ➔ One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-8AH Ampere
- ⊙ Charger 1.2 Ampere
- ⊙ Regulator
- ⊙ Battery meter
- ⊙ 4.0ltr. Per minute discharge capacity motor
With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

tivona®
Stellar
 12V-8AH 2 in 1



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere
- ⊙ 4.0ltr. Per minute discharge capacity motor
With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

tivona®
Stellar
 12V-12AH



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere
- ⊙ 4.0ltr. Per minute discharge capacity motor
With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Double inner & outer plastic pressure chamber
- ⊙ Pipe handle set
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

tivona®
Stellar
 12V-12AH 2 in 1



TECHNICAL SPECIFICATIONS

- ⊙ 20 liter high density Polyethylene Tank
- ⊙ Battery capacity 12V-14AH Ampere
- ⊙ Charger 1.7 Ampere
- ⊙ 9.0ltr. Per minute discharge capacity double motor
With auto cut-off
- ⊙ Total 4 Plastic Nozzle set
 - One plastic BCN 8 Hole nozzle
 - One plastic 4 hole nozzle
 - One plastic Cut – nozzle
 - One plastic F - Nozzle
- ⊙ Chinese discharge line with SS Extendable Lance
And plastic clutch
- ⊙ Nylon strap car belt with plastic hook buckle
- ⊙ Laminated heavy box packaging
- ⊙ 3 Pieces standard outer box packaging

tivona®
Stellar
 Double Motor



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- Robust HDPE plastic pressure chamber
- 110 cm long delivery line one end fitted with brass coupling and another end fitted with brass trigger
- 60 cm long heavy SS lance
- Brass NMD Nozzle
- HDPE Tripple support base
- Safety Kit (Goggle, Hand Gloves, Mask)
- Channel Handle set
- Nylon strap belt with powder coated MS hook
- Multi coloured laminated heavy box packaging

Agricultural hand operated
KNAPSACK SPRAYER



Masand
RM 2012



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- HDPE triple support base
- 60 cm extra heavy brass lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NMD Nozzle
- Brass inside pressure chamber with brass nut with SS ball
- Cotton strap belt with MS Hook (Powder coated)
- Safety kit (Hand gloves, Goggle, Mask)
- Heavy solid handle set
- Multi coloured heavy box packaging

Agricultural hand operated
KNAPSACK SPRAYER



Masand
SUPREME BALAJI



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene heavy tank
- HDPE triple support base
- 60 cm extra heavy brass lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NMD Nozzle
- Brass inside pressure chamber with brass nut with SS ball
- Cotton strap belt with powder coated MS hook
- Safety kit (Hand gloves, Goggle, Mask)
- Heavy solid handle set
- Multi coloured laminated heavy box packaging

Agricultural hand operated
KNAPSACK SPRAYER



Masand
ATC SHAKTI SUPER



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- Iron Stand
- 60 cm extra heavy SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NMD Nozzle
- Safety kit (Hand gloves, Goggle, Mask)
- Heavy solid handle set
- Centrally mounted outside brass cylinder
- Multi coloured laminated heavy box packaging

Agricultural hand operated
HI-TECH SPRAYER



Masand
SUPREME
HI-TECH



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- Robust HDPE plastic pressure chamber
- 100 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE support base
- Pipe handle set
- Nylon strap belt
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- HDPE triple support base
- 60 cm long SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NTM & plastic BCN - 8 hole nozzles
- Brass inside pressure chamber
- Cotton strap belt with light back cushion and shoulder set
- Heavy solid handle set
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene heavy tank
- Heavy Iron Stand
- 60 cm extra heavy brass lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NMD Nozzle
- Safety kit (Hand gloves, Goggle, Mask)
- Heavy solid handle set
- Centrally mounted outside brass cylinder
- Multi coloured laminated heavy box packaging

Agricultural hand operated
HI-TECH SPRAYER



IS:3906

 CM/L 3205235

TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene light tank
- Iron stand
- 60 cm long SS lance
- 100 cm long delivery hose line, one end fitted with brass coupling another end fitted with light brass trigger
- Plastic BCN Nozzle - 8 hole
- Heavy solid handle set
- Centrally mounted outside heavy brass cylinder
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
HI-TECH SPRAYER



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- SS telescope extendable lance
- Delivery hose pipe 120 cm with plastic nut on both sides
- Plastic trigger Chinese type
- Chinese thread
- Nylon strap belt set
- Dual inner/outer plastic pressure chamber with SS ball
- Pipe handle set
- Multi coloured laminated box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand
UNIVERSE



TECHNICAL SPECIFICATIONS

- 16 liter high density Polyethylene tank
- SS telescope Extendable Lance
- BCN nozzle 8 hole
- Delivery hose pipe 120cm with plastic On both side
- Chinese clutch plastic
- Nylon strap belt set
- Double inner/outer plastic pressure chamber
- Pipe handle set
- Multicolored laminated box packaging

Masand
MS-18



TECHNICAL SPECIFICATIONS

- 16 liter high density Polyethylene tank
- SS telescope Extendable Lance
- Delivery hose pipe 120cm with plastic On both side
- Chinese clutch plastic
- BCN nozzle 8 hole
- Nylon strap belt set
- Double inner/outer plastic pressure
- Pipe handle set
- Multicolored laminated box packaging

Masand
Shark



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- High density polythylene base
- Plastic trigger
- Delivery hose pipe 120 cm with plastic nut on both sides
- Dual inner/outer pressure chamber in which outer pressure chamber is made up of plastic with S.S ball and inner pressure chamber made up of S.S Plus Plastic
- SS Telescopic extendable lance
- Pipe handle set
- Nylon strap belt set
- Plastic BCN nozzle with Chines thread
- Multicoloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand
GALAXY



TECHNICAL SPECIFICATIONS

- 16 liter high density Polyethylene tank
- High density polyethylene base
- SS telescope Extendable Lance
- BCN nozzle 8 hole
- Delivery hose pipe 120cm with plastic On both side
- Chinese clutch plastic
- Nylon strap belt set
- Double inner/outer pressure chamber in Which outer pressure chamber is made Up of plastic with SS ball and inner Pressure Chamber made up of stainless steel
- Pipe handle set
- Multicolored laminated box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER


FLORA
**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- Brass inside pressure chamber with SS ball and Nylone barrel nut
- 100 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE support base
- Pipe handle set
- Nylon strap belt
- Multi coloured heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER


GREEN MIRCHI
 BRASS BARREL
**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- Robust HDPE plastic pressure chamber
- 100 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE Tripple support base
- Channel handle set
- Nylon strap belt with powder coated MS hook
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER


RED MIRCHI
**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- Brass inside pressure chamber with SS ball & Nylon Barrel Nut
- 100 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE Tripple support base
- Channel handle set
- Nylon strap belt with powder coated MS hook
- Multi coloured laminated heavy box packaging

Agricultural Battery Operated
KNAPSACK SPRAYER


RED MIRCHI
 BRASS BARREL
**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- Robust HDPE plastic pressure chamber
- 110 cm long heavy delivery hose line, one end fitted with brass coupling another end fitted with brass trigger heavy
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE Tripple support base
- Channel handle set
- Nylon strap belt with powder coated MS hook
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER


SUPREME MIRCHI


TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- Brass inside pressure chamber with SS ball and Nylon Nut
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- HDPE Tripple support base
- Channel handle set
- Nylon strap belt with powder coated MS hook
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand SUPREME MIRCHI BRASS BARREL



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene extra heavy tank
- HDPE double support extra heavy base
- 60 cm long heavy brass lance
- 110 cm long heavy delivery hose line, one end fitted with brass coupling another end fitted with heavy brass trigger
- Brass NTM heavy & plastic BCN - 8 hole Nozzle
- Brass inside pressure chamber with brass Nut & SS ball
- Cotton strap belt with heavy back cushion and shoulder cushion
- Heavy solid handle set
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand SUPREME SHAKTI



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- 60 cm long SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NTM nozzle
- Brass inside pressure chamber
- Nylon strap belt with M.S. powder coated hook
- Handle set with bearing
- Steel skirt with inner partition
- Multi coloured heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand PANKH



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- HDPE triple support base
- 60 cm long SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Plastic BCN Nozzle - 8 hole
- Brass inside pressure chamber
- Cotton strap belt with M.S. powder coated hook
- Heavy solid handle set
- Multi coloured heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

Masand JAI KISAN



TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene tank
- HDPE triple support base
- 60 cm long SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Plastic BCN Nozzle - 8 hole
- Brass inside pressure chamber
- Cotton strap belt with back and shoulder cushion
- Multi coloured heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

**MAHASHAKTI
KISAN**
**TECHNICAL SPECIFICATIONS**

- 16 litre high density polyethylene tank
- 60 cm long SS lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Plastic BCN Nozzle - 8 hole
- Brass inside pressure chamber
- Cotton strap belt with M.S. powder coated hook
- Heavy steel skirt
- Heavy solid handle set

Agricultural Hand Operated
KNAPSACK SPRAYER

SUPREME KOHINOOR
**TECHNICAL SPECIFICATIONS**

- 16 litre heavy high density polyethylene tank
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- 60 cm long SS lance
- Plastic BCN Nozzle - 8 hole
- Iron stand
- Centrally mounted outside heavy brass cylinder
- Heavy solid handle set
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
HI-TECH SPRAYER

**RED MIRCHI
HI-TECH**
**TECHNICAL SPECIFICATIONS**

- 16 litre extra heavy high density polyethylene tank
- 110 cm long extra heavy delivery line one end fitted with brass coupling another end fitted with brass trigger (extra heavy)
- 60 cm long heavy brass lance
- Plastic BCN Nozzle - 8 hole
- Heavy iron stand
- Centrally mounted outside heavy brass cylinder
- Solid handle set
- Suction set with brass wing nut
- Multi coloured heavy box packaging

Agricultural Hand Operated
HI-TECH SPRAYER

HI-TECH


TECHNICAL SPECIFICATIONS

- 16 litre high density polyethylene extra heavy tank
- HDPE triple support or steel (with inner center support) extra heavy base
- 60 cm extra heavy brass lance
- 110 cm long delivery hose line, one end fitted with brass coupling another end fitted with brass trigger
- Brass NTM & plastic BCN - 8 hole nozzles
- Brass inside pressure chamber with Nut & SS ball
- Cotton strap belt with light back and shoulder cushion
- Multi coloured laminated heavy box packaging

Agricultural Hand Operated
KNAPSACK SPRAYER

SUPEREME DOLPHIN
 EXTRA HEAVY
**TECHNICAL SPECIFICATIONS**


Agricultural Hand Operated
KNAPSACK SPRAYER

Masand Mini sprayer head
**TECHNICAL SPECIFICATIONS**

- Specially designed solid and durable iron bar pad
- Brass pressure chamber
- Heavy SS lance 3 feet
- 2 mtr. long suction hose line
- Specially design metal spring for developing pressure
- 10 mtr. delivery hose line
- Brass NTM Nozzle + NMD Nozzle
- Heavy brown box packaging

FOOT SPRAYER

भारत का पाँवर
सबसे सर्वोत्तम
फुटपम्प स्प्रेयर

**TECHNICAL SPECIFICATIONS**

- Heavy wooden platform assembly
- High quality bass pressure vessel
- Heavy SS lance 3 feet
- 2 mtr. long suction hose line
- S.S. lance with nozzle
- 10 mtr. delivery hose line
- Brass NTM nozzle + NMD nozzle
- Heavy brown box packaging

ROCKER SPRAYER

भारत का पाँवर
सबसे सर्वोत्तम
रॉकर स्प्रेयर

**GARDEN SPRAYERS**

GARDEN SPRAYER
5 LITRES



GARDEN SPRAYER
10 LITRES



Mini Sprayer | 1 LITRE



Mini Sprayer | 1.25 LITRE



Mini Sprayer | 2 LITRE



Mini Sprayer | 2 LITRE



Mini Sprayer | 2 LITRE



Mini Sprayer | 2 LITRE



Mini Sprayer | 3 LITRE



Mini Sprayer | 3 LITRE



Mini Sprayer | 900 ML



5 LITRE



Mini Sprayer Head

Wide Range of Battery



Battery 12V-8 AH



Battery 12V-14 AH



Battery 12V-18 AH



Battery 12V-22 AH



LITHIUM BATTERY 12V-6AH



LITHIUM BATTERY 12V-8AH



LITHIUM BATTERY 12V-12AH

Wide Range of Motor

Motor Thraead Type
100% Copper WindingMotor Both Side Nipple
100% Copper WindingMotor Transparent
100% Copper WindingMotor (6.0 LPM) Heavy
100% Copper WindingMotor (6.5 LPM) Heavy
100% Copper WindingDouble Motor
100% Copper Winding

Motor Panther (N+T)



Motore Panther (N)



Motor Double Panther

Wide Range of Belt



Car Belt H.V



Car Belt Plastic Hook Buckle



Battery Belt with Cushion



Car Belt Extra H.V



Wide Range of Charger



Charger 1.2 A



Charger 1.7 A




Charger 2.0 A



Charger CSM



Charger 27



Charger 27 (1.7A)

Wide Range of Lance & Discharge Line Accessories



SS EXTENDABLE LANCE



BRASS EXTENDABLE LANCE



THREE WAY LANCE



Chinese Clutch Brass Thread



Hi-Jet Gun 2 Feet



Chinies Clutch



Discharge line set Completed



Nozzle Set with Accessories

Wide Range of Nozzle



4 Hole Nozzle Plastic



F-Nozzle Plastic



Cut Nozzle Palastic



6 & 8 Hole Nozzle

Wide Range of LED



LED 5W (1 Mtr Wire)




LED 5W (1.5 Mtr Wire)



LED 9W (1.5 Mtr Wire)



ELOZEN LIGHT




Wide Range of Switch & Socket



Regulator



Switch



Double Switch



Voltmemter



Socket

Wide Range of Battery Pump Plastic Accessories




Back Rest Jali



BPK/2 Cap Battery



Battery Supporter Clip 12-8




Barrel Lock




Handle-Lock



Lance Holder



Battery Supporter Clip 12-12



Y Connector



NAP/T Tank (Battery Sprayer)



Side Cap Battery



Charger CSM



BACK REST



Base Plate



Base Plate Lock



SK/BR Cap (Battery Sprayer)



Motor Connector



Wide Range of Barrel & Parts



SK9/8 Barrel Plastic



SK9/8 Barrel S.S.



Double Side Washer



Barrel Cotton O Ring

Wide Range of Other Parts



Gun Connector



GREEN WASHERY



Handle Grip




BCN Nozzle with 3,5,6 Hole Tip




Inner Jali Set



Big Filter Jali



Hook Buckle Set



Motor Parts Kit



Chinies Delivery Line



Delivery With Switch



L-Connector with Nut



L-Rubber Connector

Wide Range of Knapsack Sprayer Lance



SS Lance Light




SS Lance Heavy




SS Lance Three Feet




BRASS LANCE HEAVY



BRASS LANCE LIGHT



LANCE Brass 3 Feet



NAP 3 SKIRT FOR MIRCHI



SK9/8 Nylon



SK9 8 BRASS HEAVY



SK9/12 Washer



DELIVERY SET COMPLETE (MEDIUM)




DELIVERY SET COMPLETE (LIGHT)

Wide Range of Nozzle



BRASS NMD Nozzle




NTM NOZZLE HEAVY



NTM NOZZLE LIGHT



BRASS DS DN NOZZLE



BCN 8 HOLE NOZZLE



BCN 12 HOLE NOZZLE

BCN Nozzle with 3,5,6 Hole Tip


Wide Range of Handle Set & Stand




CHANNEL H-SET FOR MIRCHI



HI-TECH H-SET



DOUBLE BEARING H-SET



KNAPSACK H-SET



BATTERY SPRAYER H-SET



HTS-14 HITECH STAND (LIGHT)

HTS -14 HITECH STAND HEAVY



HFS/14 Nylon Cylinder



MEASUREMENT GLASS



SK/BR Cap (Knapsack Sprayer)



SK/BR Ring (Knapsack Sprayer)



BPK 13 (COTTON PIN)




BPK 14 COTTON PIN



BPK/17 PISTON HOLDER



BPK 34, BPK 32, HFS 22, BRASS



BPK 34, BPK 32, HFS 22, PLASTIC



HFS 14 BRASS CYLINDER



HTS 15 CRANK LEVER SUPPORTER



HFS 12 PRESSUR VESSEL (HEAVY)



HFS 12 PRESSURE VESSEL LIGHT



HTS 2 CAP HEAVY




JALI



TRIGGER LIGHT & HEAVY



BPK/2 Cap (Knapsack)



HTS/3N (O ring for Strainer)



SH/7 Nylon Belt for Mirchi



BRASS PISTON PLATE



SS PLATE



HFS 19 HITECH PISTON



HFS 20

Wide Range of Belt



SH/7 NYLON BELT LIGHT



SH/7 NYLON BELT HEAVY



COTTON BELT LIGHT



COTTON BELT HEAVY



HTS 17 BRASS



HTS 16 HITECH LEVER



HTS 33 (NYLON OR BRASS NUT)



CLUTCH PARTS SET



HFS 13 + 13A




METAL WASHER



SHOULDER & CUSHION SET



CLAMP



HFS 18 HITECH NUT



SAFETY KIT



HANDLE GRIP



HTS 7 SUPPORT PATTI



HTS 19 HITECH CLAMP



HTS 13



NAP T



NUT BOLT



R PIN C PIN



FIBER WASHER




W4 WASHER



W6 WASHER







Oil Tank Whole Set for M Diamond



Petrol Tank Screw for M Diamond



Accelerator for M Diamond



Accelerator Assly Set for M Diamond



Accelerator Wire for M Diamond



Yellow Petrol Pipe Set for M Diamond



Extra Heavy Belt set for M Diamond With Screw



Plunger for M Diamond



Recoil Starter H Connect



Oil Seal



Oil Seal



Oil Seal



Oil Seal



Hi jet Gun 90cm With Brass Head



Strainer



Oil Tank Cap



Oil Strainer



Delivery Set 1.20 Meter for Power Sprayer



High Pressure Hose 1.5cm for Power Sprayer



Adjust Cap



Magneto Bolt




Draining Nut



O Ring Pump



Gasket Kit



Transparent Nozzle - Adjustable Pressure



1 Hole with Plastic Knob



1 Hole with Brass Knob



1 Hole



4 Hole Blue



8 Hole Blue



8 Hole Blue



Flower Type Nozzle



2 Hole Brass Nozzle



3 Hole Brass Nozzle



Delivery Pipe



Delivery Pipe Sky Blue



Delivery Pipe Yellow

